



ADEGO

SCRAPER SOLUTIONS




www.adegogroup.com


Secondary belt scraper



Primary belt cleaner



Internal belt cleaner



Adego Prime 45°


Vmax: 3.0 m/sec.

-100°C/ +200°C

Vmax: 3.5 m/sec.

-20°C/ +70°C

BB: 200mm-3000mm




	X	Y	Z	A	B	C
ø 48	400	350	1000	001-001-350/45°	001-002-350/45°	001-003-400/48°
	500	450	1000	001-001-450/45°	001-002-450/45°	001-003-500/48°
	650	550	1200	001-001-550/45°	001-002-550/45°	001-003-650/48°
	650	600	1200	001-001-600/45°	001-002-600/45°	001-003-650/48°
	800	700	1300	001-001-700/45°	001-002-700/45°	001-003-800/48°
	800	750	1300	001-001-750/45°	001-002-750/45°	001-003-800/48°
	1000	900	1500	001-001-900/45°	001-002-900/45°	001-003-1000/48°
	1000	950	1500	001-001-950/45°	001-002-950/45°	001-003-1000/48°
ø 60	1200	1050	1700	001-001-1050/45°	001-002-1050/45°	001-003-1200/60°
	1200	1125	1700	001-001-1125/45°	001-002-1125/45°	001-003-1200/60°
	1400	1200	1900	001-001-1200/45°	001-002-1200/45°	001-003-1400/60°
	1400	1300	1900	001-001-1300/45°	001-002-1300/45°	001-003-1400/60°
	1600	1400	2100	001-001-1400/45°	001-002-1400/45°	001-003-1600/60°
	1600	1500	2100	001-001-1500/45°	001-002-1500/45°	001-003-1600/60°
	1800	1600	2300	001-001-1600/45°	001-002-1600/45°	001-003-1800/60°
	1800	1700	2300	001-001-1700/45°	001-002-1700/45°	001-003-1800/60°
ø 70	2000	1800	2500	001-001-1800/45°	001-002-1800/45°	001-003-2000/70°
	2000	1900	2500	001-001-1900/45°	001-002-1900/45°	001-003-2000/70°

D	E	F	G	H	I	J
050-001-300-650	050-005-300-650	050-003-400-650	050-004-400-650	050-009-M24	050-010-M24	050-011-M24
050-001-800-1000	050-005-800-1000	050-003-800-1000	050-004-800-1000	050-009-M30	050-010-M30	050-011-M30
050-001-1200-1600	050-005-1200-1600	050-003-1200-1600	050-004-1200-1600	050-009-M36	050-010-M36	050-011-M36
050-001-1800-2200	050-005-1800-2200	050-003-1800-2200	050-004-1800-2200	050-009-M42	050-010-M42	050-011-M42

Adego Prime 90°



Vmax: 3.0 m/sec.
-100°C/ +200°C




Vmax: 3.5 m/sec.

-20°C/ +70°C

BB: 200mm-3000mm




	X	Y	Z	A	B	C
ø 48	400	350	1000	001-001-350/90°	001-002-350/90°	001-003-400/48°
	500	450	1000	001-001-450/90°	001-002-450/90°	001-003-500/48°
	650	550	1200	001-001-550/90°	001-002-550/90°	001-003-650/48°
	650	600	1200	001-001-600/90°	001-002-600/90°	001-003-650/48°
	800	700	1300	001-001-700/90°	001-002-700/90°	001-003-800/48°
	800	750	1300	001-001-750/90°	001-002-750/90°	001-003-800/48°
	1000	900	1500	001-001-900/90°	001-002-900/90°	001-003-1000/48°
	1000	950	1500	001-001-950/90°	001-002-950/90°	001-003-1000/48°
ø 60	1200	1050	1700	001-001-1050/90°	001-002-1050/90°	001-003-1200/60°
	1200	1125	1700	001-001-1125/90°	001-002-1125/90°	001-003-1200/60°
	1400	1200	1900	001-001-1200/90°	001-002-1200/90°	001-003-1400/60°
	1400	1300	1900	001-001-1300/90°	001-002-1300/90°	001-003-1400/60°
	1600	1400	2100	001-001-1400/90°	001-002-1400/90°	001-003-1600/60°
	1600	1500	2100	001-001-1500/90°	001-002-1500/90°	001-003-1600/60°
	1800	1600	2300	001-001-1600/90°	001-002-1600/90°	001-003-1800/60°
	1800	1700	2300	001-001-1700/90°	001-002-1700/90°	001-003-1800/60°
ø 70	2000	1800	2500	001-001-1800/90°	001-002-1800/90°	001-003-2000/70°
	2000	1900	2500	001-001-1900/90°	001-002-1900/90°	001-003-2000/70°






050-001-300-650	050-005-300-650	050-003-400 – 650	050-004-400 – 650	050-009-M24	050-010-M24	050-011-M24
050-001-800-1000	050-005-800-1000	050-003-800 – 1000	050-004-800 – 1000	050-009-M30	050-010-M30	050-011-M30
050-001-1200-1600	050-005-1200-1600	050-003-1200 – 1600	050-004-1200 – 1600	050-009-M36	050-010-M36	050-011-M36
050-001-1800-2200	050-005-1800-2200	050-003-1800 – 2000	050-004-1800 – 2000	050-009-M42	050-010-M42	050-011-M42



Adego Prime 45°/90°



X	S1	A	B1	B2	C
400 – 650 mm	M 24 x 160 mm	Ø 48 mm	58 mm	82 mm	150 – 200 mm
800 – 1000 mm	M 30 x 160 mm				200 – 300 mm
1200 – 1800 mm	M 36 x 200 mm	Ø 60 mm	65 mm	95 mm	~ 300 mm
2000 – 2600 mm	M 42 x 200 mm	Ø 70 mm			



X	S2	A	B1	B2	C	D
400 – 650 mm	SE-27	Ø 48 mm	58 mm	82 mm	100 – 200 mm	250 mm
800 – 1000 mm	SE-38				120 – 200 mm	290 mm
1200 – 1600 mm	SE-38	Ø 60 mm	65 mm	95 mm	150 – 250 mm	298 mm
1800 – 2200 mm	SE-45	Ø 70 mm				360 mm



Adego Line




Vmax: 3.0 m/sec.

-100°C/ +200°C



Vmax: 3.5 m/sec.

-20°C/ +70°C

BB: 400mm-3000mm



	X	Y	Z	A	B	C
Ø 48	400	350	1000	003-001-350/45	003-002-350	003-003-400/45
	400	350	1000	003-001-350/90	003-002-350	003-003-400/90
	400	350	1000	003-001-350/150	003-002-350	003-003-400/150
	500	450	1000	003-001-450/...	003-002-450	003-003-500/...
	650	550	1200	003-001-550/...	003-002-550	003-003-650/...
	650	600	1200	003-001-650/...	003-002-600	003-003-650/...
	800	700	1300	003-001-700/...	003-002-700	003-003-800/...
	800	750	1300	003-001-750/...	003-002-750	003-003-800/...
	1000	900	1500	003-001-900/...	003-002-900	003-003-1000/...
	1000	950	1500	003-001-950/...	003-002-950	003-003-1000/...
	1200	1050	1700	003-001-1050/...	003-002-1050	003-003-1200/...
	1200	1125	1700	003-001-1125/...	003-002-1125	003-003-1200/...
	1400	1200	1900	003-001-1200/...	003-002-1200	003-003-1400/...
	1400	1300	1900	003-001-1300/...	003-002-1300	003-003-1400/...



050-001-400-650
050-001-800-1000

050-005-400-650
050-005-800-1000


050-003-400-650
050-003-800-1000

050-004-400-650
050-004-800-1000




050-009-M24
050-009-M30
050-009-M36/48

050-010-M24
050-010-M30
050-010-M36/48



050-011-M24
050-011-M30
050-011-M36/48



X	S1	A	B1	B2	B3	C
400 – 650 mm	M 24 x 160 mm	Ø 48 mm	45 mm	90 mm	150 mm	150 – 200 mm
800 – 1000 mm	M 30 x 160 mm					200 – 300 mm
1200 – 1400 mm	M 36 x 200 mm					~ 300 mm



X	S1	A	B1	B2	B3	C	D
400 – 650 mm	SE-27	Ø 48 mm	45 mm	90 mm	150 mm	100 – 200 mm	250 mm
800 – 1000 mm	SE-38					120 – 200 mm	290 mm
1200 – 1400 mm						150 – 250 mm	




Adego Flip

Vmax: 2.5 m/sec.

-30°C/ +60°C

BB: 400mm-1400mm



A




B




C

	X	Y	Z			
30x30	400	350	1000	008-001-350	050-002-400-800	050-016-400-800
	500	450	1000	008-001-450		
	650	550	1200	008-001-550		
	650	600	1200	008-001-600		
	800	700	1300	008-001-700		
	800	800	1300	008-001-800		
	1000	900	1500	008-001-900	050-002-1000-1400	050-016-1000-1400
	1000	1000	1500	008-001-1000		
	1200	1100	1600	008-001-1100		
	1200	1200	1600	008-001-1200		
	1400	1300	1600	008-001-1300		



X	S2	A	B	C	D
400 – 800 mm	SE-27	30 mm	75 mm	50-100 mm	230 mm
1000 – 1400 mm	SE-38				280 mm




Adego S

Vmax: 3.5 m/sec.

-30°C/ +80°C

BB: 200mm-2000mm



Adego M Adego S




	X	Y	Z	A	B
ø 48	400	300	1000	006-001-300	006-002-150
	500	300	1000	006-001-300	
	650	450	1200	006-001-450	
	800	600	1300	006-001-600	
	1000	750	1500	006-001-750	
ø 60	1200	900	1700	006-001-900	
	1400	1050	1900	006-001-1050	
	1600	1200	2100	006-001-1200	
	1600	1350	2100	006-001-1350	
	1800	1500	2300	006-001-1500	
	1800	1650	2300	006-001-1650	




S

X	S
BB 400 – 1000 (dia 48)	050-020-48
BB 1200 – 1400 (dia 60)	050-020-60
BB 1600 – 1800 (dia 60)	050-021-60


Adego Prime Start 45/90




X	Y	Z	A	B
400	350	1000	011-001-350/45°	011-002-350/45°
500	450	1000	011-001-450/...	011-002-450/...
650	550	1200	011-001-550/...	011-002-550/...
650	600	1200	011-001-600/...	011-002-600/...
800	700	1300	011-001-700/...	011-002-700/...
800	750	1300	011-001-750/...	011-002-750/...
"_"	"_"	"_"	"_"	"_"
"_"	"_"	"_"	"_"	"_"
"_"	"_"	"_"	"_"	"_"
1800	1700	2300	011-001-1700/...	011-002-1700/...
2000	1800	2500	011-001-1800/...	011-002-1800/...
2000	1900	2500	011-001-1900/...	011-002-1900/...



Start




Standard




HD


Adego Prime HD 45




X	Y	Z	A	B
400	350	1000	012-001-350/45°	012-002-350/45°
500	450	1000	012-001-450/45°	012-002-450/45°
650	550	1200	012-001-550/45°	012-002-550/45°
650	600	1200	012-001-600/45°	012-002-600/45°
800	700	1300	012-001-700/45°	012-002-700/45°
800	750	1300	012-001-750/45°	012-002-750/45°
"_"	"_"	"_"	"_"	"_"
"_"	"_"	"_"	"_"	"_"
"_"	"_"	"_"	"_"	"_"
1800	1700	2300	012-001-1700/45°	012-002-1700/45°
2000	1800	2500	012-001-1800/45°	012-002-1800/45°
2000	1900	2500	012-001-1900/45°	012-002-1900/45°




Start



Standard



HD



Adego M Adego S

Vmax: 3.5 m/sec.
-30°C/ +80°C
BB: 200mm-2000mm




	X	Y	Z	A	B
ø 48	400	300	1000	005-001-300	005-002-150
	500	400	1000	005-001-300	
	650	450	1200	005-001-450	
	800	600	1300	005-001-600	
	1000	750	1500	005-001-750	
ø 60	1200	900	1700	005-001-900	
	1400	1050	1900	005-001-1050	
	1600	1200	2100	005-001-1200	
	1600	1350	2100	005-001-1350	
	1800	1500	2300	005-001-1500	
	1800	1650	2300	005-001-1650	






S




X	S
BB 400 – 1000 (dia 48)	050-020-48
BB 1200 – 1400 (dia 60)	050-020-60
BB 1600 – 1800 (dia 60)	050-021-60





Adego S




Adego M




Adego S



Adego M



Vmax: 3 m/sec.
-30°C/ +80°C
BB: 200mm-2000mm




Ø 48	X	Y	Z	A	B	C
	500	300	1000	004-001-300	004-003-150/1	004-002-150/1
	650	450	1200	004-001-450		
	800	600	1300	004-001-600		
	1000	750	1500	004-001-750		
	1200	900	1700	004-001-900		
	1400	1050	1900	004-001-1050		
	1600	1200	2100	004-001-1200		
	1600	1350	2100	004-001-1350		
	1800	1500	2300	004-001-1500		
	1800	1650	2300	004-001-1650		



X	S
BB 400 – 1000 (dia 48)	050-020-48
BB 1200 – 1400 (dia 60)	050-020-60
BB 1600 – 1800 (dia 60)	050-021-60

Vmax: 3 m/sec.
-30°C/ +80°C
BB: 400mm-1600mm




X	Y	A	B
400	450	002-001-400	002-002-400
500	550	002-001-500	002-002-500
650	700	002-001-650	002-002-650
800	850	002-001-800	002-002-800
1000	1050	002-001-1000	002-002-1000
1200	1250	002-001-1200	002-002-1200
1400	1450	002-001-1400	002-002-1400
1600	1650	002-001-1600	002-002-1600

Adego WT



Vmax: 3 m/sec.
-30°C/ +80°C
BB: 400mm-1600mm



	X	Y	Z	A	B
Ø 38	400	450	1000	007-001-400	007-002-400
	500	550	1000	007-001-500	007-002-500
	650	700	1200	007-001-650	007-002-650
	800	850	1300	007-001-800	007-002-800
	1000	1050	1500	007-001-1000	007-002-1000
	1200	1250	1700	007-001-1200	007-002-1200
	1400	1450	1900	007-001-1400	007-002-1400
	1600	1650	2100	007-001-1600	007-002-1600

Adego Group

Krustpils street 64,
Riga, Latvia

+371 22338070
+371 20463626

info@adegogroup.com